

**CHILDHOOD IMMUNIZATION SCHEDULE
UNITED STATES, JANUARY-DECEMBER 2001
CHILD DEVELOPMENT SERVICES**

NO SHOTS FROM BIRTH-6 WEEKS	2 MONTHS	4 MONTHS	6-8 MONTHS	12 MONTHS	15 MONTHS	18 MONTHS	4-6 YEARS	11-12 YEARS
POLIO VACCINE IPV OPV	IPV/OPV #1	IPV/OPV #2	OPV #3				OPV #4	
DIPHTHERIA TETANUS DTP PERTUSSIS DTaP	DTaP #1	DTaP #2	DTaP #3		DTaP #4		DTaP #5	11-16 YRS TD BOOSTER
COMVAX ¹ HAEMOPHILUS b CONJUGATE VACCINE Hbcv Hibtiter HBOC H Flu	COMVAX #1	COMVAX #2			COMVAX #3			
	HIB #1	HIB #2	HIB #3	HIB #4 ³ HIB# 4				
MEASLES MUMPS MMR RUBELLA				MMR #1			MMR #2 OR MMR #2	
TB SKIN TINE TEST MONOVAC TST MANTOUX (IPPD)				MONOVAC OR IPPD			IPPD	IPPD
HEPATITIS ²	HEP B-1	HEP B-2	HEP B-3 HEP B-3					HEP B-4
VARICELLA ZOSTER ³				VAR				VAR

1. COMVAX from Merck is a combination vaccine of HIB (Pedvaxhib) and HBV (Recombivax).

2. Hepatitis B (HEP B) vaccine can be given as early as 6 weeks, but is not required for enrollment in CDS program.

3. Varicella Zoster vaccine (VAR) is not required for enrollment in CDS program.

- Tetramune is a vaccine which includes both the DPT and HIB.
- Children who have received PRP-OMP (PedvaxHIB (Merck) at 2 and 4 months of age do not require a dose at 6 months of age.
- The HIB booster can be given at 12-15 months provided they have received the previous three primary series. A child who has received one HIB at 15 months or later does not require another HIB. Children over 5 years of age who have not had a HIB, do not require the vaccine.
- A reminder: Don't start any vaccine series over again, no matter how long it's been since the last dose.

Any questions related to immunizations or the vaccine requirements for children who have not received vaccines per the recommended schedule should be referred to the Chief, Community Health Nursing, Fort Monmouth, DSN 992-2667 or Commercial (732) 532-2667.

Approved by the Advisory Committee on Immunization Practices (ACIP), the American Academy of Pediatrics (AAP),
and the American Academy of Family Physicians (AAFP).